

Due by March 31, 2014

Notice: Pursuant to s. NR 216.07(8), Wis. Adm. Code, an owner or operator of a Municipal Separate Storm Sewer System (MS4) is required to submit an annual report to the Department of Natural Resources (DNR) by March 31 of each year to report on activities for the previous calendar year. This form is being provided by the DNR for the user's convenience. Personal information collected will be used for administrative purposes and may be provided to the extent required by Wisconsin's Open Records Law [ss. 19.31-19.39, Wis. Stats.].

This form is for reporting on activities undertaken in calendar year 2013.

Instructions: Complete each section of the form that follows. If additional space is needed to respond to a question, attach additional pages. Provide descriptions that explain the program actions taken to comply with the general permit. Complete and submit the annual report by March 31, 2014, to the appropriate address indicated on the last page of this form.

SECTION I. Municipal Information


Name of Municipality		Facility ID No. (FIN)	
City of Delafield		33659	
Mailing Address	City	State	ZIP Code
500 Genesee Street	Delafield	WI	53018
County(s) in which Municipality is located	Municipality Type: (select one)		
Waukesha	<input type="radio"/> County <input checked="" type="radio"/> City <input type="radio"/> Village <input type="radio"/> Town <input type="radio"/> Other (specify)		

SECTION II. Municipal Contact Information

Name of Municipal Contact Person		Title	
Tom Hafner, PE		Administrator & Dir. of Public Works	
Mailing Address	City	State	ZIP Code
500 Genesee Street	Delafield	WI	53018
Email	Phone Number (include area code)	Fax Number (include area code)	
thafner@ci.delafield.wi.us	(262) 303-4626	(262) 646-6223	

SECTION III. Certification

I hereby certify that I am an authorized representative of the municipality covered under MS4 General Permit No. WI-S050075-1 for which this annual report is being submitted and that the information contained in this document and all attachments were gathered and prepared under my direction or supervision. Based on my inquiry of the person or persons under my direction or supervision involved in the preparation of this document, to the best of my knowledge, the information is true, accurate, and complete. I further certify that the municipality's governing body or delegated representatives have reviewed or been apprised of the contents of this annual report. I understand that Wisconsin law provides severe penalties for submitting false information.

Authorized Representative Printed Name	Authorized Representative Title		
Tom Hafner	Administrator & Dir. of Public Works		
Signature of Authorized Representative	Date		
	3/28/14		
Email	Phone Number (include area code)	Fax Number (include area code)	
thafner@ci.delafield.wi.us	(262) 303-4626	(262) 646-6223	

SECTION IV. General Information

a. Describe what efforts the municipality has undertaken to invite the municipal governing body, interest groups, and the general public to review and comment on the annual report.

See attachment.

b. Describe how elected and municipal officials and appropriate staff have been kept apprised of the municipal storm water discharge permit and its requirements.

See attachment.

c. Has the municipality prepared its own municipal-wide storm water management plan? Yes No

If yes, title and date of storm water management plan:

IH 94 & STH 83 Interchange Stormwater Management Plan prepared by Hey and Associates, Inc. - June 6, 2001
 Northeast and Northwest Delafield - Stormwater Management Plan, prepared by Hey and Associates, Inc. - Sept. 2004

SECTION IV. General Information (continued)

d. Has the municipality entered into a written agreement with another municipality or a contract with another entity to perform one or more of the conditions of the general permit as provided under Section 2.10 of the general permit? Yes No

If yes, describe these cooperative efforts:

The City contracts to Yaggy Colby Associates for Engineering Services. They perform the technical aspects of the permit and assist in creating the Annual Report. The City also contracts and participates in the Waukesha County Public Education and Outreach Program.

e. Does the municipality have an internet website? Yes No

If yes, provide web address:

<http://www.cityofdelafield.com>

If the municipality has an internet website, is there current information about or links provided to the MS4 general permit and/or the municipality's storm water management program? Yes No

If yes, provide web address:

<http://www.cityofdelafield.com/Stormwater.html>

SECTION V. Permit Conditions

a. **Minimum Control Measures:** For each of the permit conditions listed below, provide a description of the status of implementation of program elements, the status of meeting measurable goals, and compliance with permit schedule in section 3 of the MS4 general permit. Provide an evaluation of program compliance with the general permit, the appropriateness of identified best management practices, and progress towards achieving identified measurable goals. Be specific in describing the actions that have been taken during the reporting year to implement each permit condition and whether measurable goals have been met, including any data collected to document a measurable goal. Also, explain the reasons for any variations from the compliance schedule in the MS4 general permit.

- Public Education and Outreach

See attachment.

- Public Involvement and Participation

See attachment.

- Illicit Discharge Detection and Elimination

See attachment.

- Construction Site Pollutant Control

See attachment.

- Post-Construction Storm Water Management

See attachment.

- Pollution Prevention

See attachment.

b. **Storm Water Quality Management:** Has the municipality completed a pollutant-loading analysis to assess compliance with the 20% TSS reduction developed urban area performance standard? Yes No

If yes, provide the following: Model used SLAMM Version 9.3 Reduction (%) 29

If no, include a description of any actions the municipality has undertaken during 2013 to help achieve the 20% standard.

Has the municipality completed an evaluation of all municipal owned or operated structural flood control facilities to determine the feasibility of retrofitting to increase TSS removal? Yes No

If yes, describe:

SECTION V. Permit Conditions (continued)

- c. **Best Management Practices Maintenance:** Does the municipality have a maintenance program for installed storm water best management practices? Yes No

If yes, describe the maintenance program and any maintenance activities that have occurred for best management practices in 2013. If available, attach any additional information on the maintenance program.

Attachment provides additional information regarding the City's maintenance program.

- d. **Storm Sewer System Map:** Describe any changes or updates to the storm sewer system map made in the reporting year. Provide an updated map if any changes occurred during the reporting year.

None.

SECTION VI. Fiscal Analysis

- a. Provide a fiscal analysis that includes the annual expenditures for 2013, and the budget for 2013 and 2014. A table to document fiscal information is provided on page 5.

- b. What financing/fiscal strategy has the municipality implemented to finance the requirements of the general permit?

Storm water utility General fund Other _____

- c. Are adequate revenues being generated to implement your storm water management program to meet the permit requirements? Yes No

Please provide a brief summary of your financing/fiscal strategy and any additional information that will assist the Department in understanding how storm water management funds are being generated to implement and administer your storm water management program.

The City utilizes a storm water utility to help off-set the costs of the program. It also sets aside additional budget from the general fund to pay for program expenses that fall outside of the allowed Utility funding.

SECTION VII. Inspections and Enforcement Actions

Note: If an ordinance listed below has previously been submitted and has not been amended since that time, a copy does not need to be submitted again. If the ordinance was previously submitted, indicate such in the space provided.

- a. As of the date of this annual report, has the municipality adopted a construction site pollutant control ordinance in accordance with subsection 2.4.1 of the general permit? Yes No If yes, attach copy or provide web link to ordinance:

Previously submitted

- b. As of the date of this annual report, has the municipality adopted a post-construction storm water management ordinance in accordance with subsection 2.5.1 of the general permit? Yes No If yes, attach copy or provide web link to ordinance:

Previously submitted

- c. As of the date of this annual report, has the municipality adopted an illicit discharge detection and elimination ordinance in accordance with subsection 2.3.1 of the general permit? Yes No If yes, attach copy or provide web link to ordinance:

Previously submitted

- d. As of the date of this annual report, has the municipality adopted any other ordinances it has deemed necessary to implement a program under the general permit (e.g., pet waste ordinance, leaf management/yard waste ordinance, parking restrictions for street cleaning, etc.)? Yes No If yes, attach copy or provide web link to ordinance:

- e. Provide a summary of available information on the number and nature of inspections and enforcement actions conducted during the reporting period to ensure compliance with the ordinances described in a. to d. above.

See attachment.

SECTION VIII. Water Quality Concerns

- a. Does any part of the MS4 discharge to an outstanding resource water (ORW) or exceptional resource water (ERW) listed under s. NR 102.10 or 102.11, Wis. Adm. Code? (A list of ORWs and ERWs may be found on the Department's Internet site at: <http://dnr.wi.gov/topic/SurfaceWater/orwerw.html>) Yes No If yes, list:
- b. Does any part of the MS4 discharge to an impaired waterbody listed in accordance with section 303(d)(1) of the federal Clean Water Act, 33 USC § 1313(d)(1)(C)? (A list of the most current Wisconsin impaired waterbodies may be found on the Department's Internet site at: <http://dnr.wi.gov/water/impairedsearch.aspx?status=303d>) Yes No If yes, complete the following:
- Impaired waterbody to which the MS4 discharges:
2 reaches are included in the Bark River TMDL: (1) Reach 25 - Oconomowoc River from Battle Creek to Mason Creek; (2) Bark River from Mile 35 to Mile 41
 - Description of actions municipality has taken to comply with section 1.5.2 of the MS4 general permit for discharges of pollutant(s) of concern to an impaired waterbody:
No formal action has been taken but a planning grant has been applied for and results indicate the City will be granted funds to assist in the planning of the recently adopted Rock River TMDL requirements. An action plan will be created as part of that planning.
- c. Identify any known water quality improvements in the receiving water to which the MS4 discharges during the reporting period.
None known.
- d. Identify any known water quality degradation in the receiving water to which the MS4 discharges during the reporting period and what actions are being taken to improve the water quality in the receiving water.
None known.

SECTION IX. Proposed Program Changes

Describe any proposed changes to the storm water management program being contemplated by the municipality for 2014 and the schedule for implementing those changes. Proposed program changes must be consistent with the requirements of the general permit.
The City will implement the anticipated permit requirement changes as it applies to TMDLs and pollution prevention.

Fiscal Analysis Table. Complete the fiscal analysis table provided below.

Program Element	Annual Expenditure		Budget		Source of Funds
	2013	2014	2013	2014	
Public Education and Outreach	1,250	1,250	1,500	1,250	Storm Water Utility
Public Involvement and Participation	1,250	1,250	1,500	1,250	Storm Water Utility
Illicit Discharge Detection and Elimination	0	0	1,500	0	Storm Water Utility (Funded in Pollution Prevention category)
Construction Site Pollutant Control	0	0	1,500	0	Costs passed through permittees; additional budget has been set aside to fund additional work that may be needed.
Post-Construction Storm Water Management	0	0	2,500	1,250	Costs are typically passed through permittees; the budgeted amount is for setting up and administering the basin inspection program using the Storm Water Utility funds.
Pollution Prevention	2,060.25	2,060.25	5,000	2,500	General Fund, Storm Water Utility
Storm Water Quality Management (including pollutant-loading analysis)	309	309	10,000	4,500	Storm Water Utility & UNPSS Grant (assume 30% portion of Grant costs - estimated at \$15,000)
Storm Sewer System Map	0	0	7,500	500	General Fund, Storm Water Utility & UNPSS Grant (assumed 30% of the \$1,700 estimated)
Other:	1,588.75	1,588.75	2,500	1,500	General Fund, Storm Water Utility & UNPSS Grant

NORTHERN REGION COUNTIES

Ashland	Langlade	DNR Service Center Attn: Storm Water Program 5301 Rib Mountain Rd. Wausau, WI 54401 Phone: (715) 359-4522
Barron	Lincoln	
Bayfield	Oneida	
Burnett	Polk	
Douglas	Price	
Florence	Rusk	
Forest	Sawyer	
Iron	Taylor	
	Vilas	
	Washburn	

WEST CENTRAL REGION COUNTIES

Adams	Marathon	DNR Service Center Attn: Storm Water Program 5301 Rib Mountain Rd. Wausau, WI 54401 Phone: (715) 359-4522
Buffalo	Monroe	
Chippewa	Pepin	
Clark	Pierce	
Crawford	Portage	
Dunn	St. Croix	
Eau Claire	Trempealeau	
Jackson	Vernon	
Juneau	Wood	
La Crosse		

NORTHEAST REGION COUNTIES

Brown	Marquette	DNR Northeast Region Attn: Storm Water Program 2984 Shawano Ave. Green Bay, WI 54313 Phone: (920) 662-5100
Calumet	Menominee	
Door	Oconto	
Fond du Lac	Outagamie	
Green Lake	Shawano	
Kewaunee	Waupaca	
Manitowoc	Waushara	
Marinette	Winnebago	

SOUTH CENTRAL REGION COUNTIES

Columbia	Jefferson	DNR South Central Region Attn: Storm Water Program 3911 Fish Hatchery Rd. Fitchburg, WI 53711 Phone: (608) 275-3266
Dane	LaFayette	
Dodge	Richland	
Grant	Rock	
Green	Sauk	
Iowa		

SOUTHEAST REGION COUNTIES

Kenosha	Sheboygan	DNR Service Center Attn: Storm Water Program 141 NW Barstow Street, Room 180 Waukesha, WI 53188 (262) 574-2100
Milwaukee	Walworth	
Ozaukee	Washington	
Racine	Waukesha	

2013 Delafield MS4 Permit Annual Report Attachment

Section IV. General Information

- a. *Describe what efforts the municipality has undertaken to invite the municipal governing body, interest groups, and the general public to review and comment on the annual report.*

The annual report from last year has been distributed and made available to the municipal governing body. One of the City's goals for Public Involvement and Participation is to improve their website to include more information related to the permit and make it more user-friendly. The Annual Reports are listed under the Public Works Department section of the website. There is also a link to the County's website in this location. The website allows the public the opportunity to view the information, including the governing body and interest groups.

- b. *Describe how elected and municipal officials and appropriate staff have been kept apprised of the municipal storm water permit and its requirements.*

Elected and municipal officials and staff have been kept apprised primarily through Public Works, Plan Commission, and Common Council meetings. The Director of Public Works is the main point of contact for the City and is actively included in all aspects of the MS4 permit and programs. He typically provides his staff with updates and any information that is pertinent to their jobs, as it relates to this permit. Periodic meetings with the City's engineering consultant also provides valuable information to the City's staff, especially as it pertains to pollution prevention and storm water management.

Elected and municipal officials are also kept apprised of the permit and its requirements each year while going through the budget process. They are given the opportunity to review and approve the funding for the efforts required. Each year they are provided the permit and Annual Report and given the opportunity to review the various aspects.

Section V. Permit Conditions

- a. Minimum Control Measures:

Public Education and Outreach

- The City of Delafield is participating in Waukesha County's Public Education and Outreach Program. The County has met on a few occasions to create their work plan for 2014, as well as to discuss the 2013 activities. A representative of the City participated in a Work Plan meeting on December 10, 2013 at Waukesha County's Administration Building. Attending that meeting was Brian Pehl of Yaggy Colby Associates.
- The City's Public Works Director and consultant attended the Storm Water MS4 2.0 Workshop offered by the County on April 10, 2013. The City plans to implement much of the presented information in order to improve and remain compliant with permit requirements.

Public Involvement and Participation

- The City recognizes that their website is a valuable tool for communicating with the general public. This year the City updated their website and has made available all the past Annual Reports for review. The City recognizes that more information could be made available and is working towards providing updated information and keeping the site current.
- Efforts continue to be made to institute storm water management and pollution prevention education programs into the City's elementary and secondary schools. Past programs include various Arbor Day Celebrations that included, but were not limited to, ceremonial tree plantings. Other ideas are instituting stream/river monitoring and stamping storm sewers.
- The City promotes the County's stream monitoring program for the City's various rivers and streams.
- The City's consultant met with City staff to discuss the past year's efforts as related to storm water management improvements and discuss how processes and procedures can improve. This meeting has been beneficial to the City because it allows the Public Works Director to discuss procedures with maintenance staff and exchange ideas.

Illicit Discharge Detention and Elimination

- Dry weather field screening was done on September 4^h and 5th of 2013. No illicit discharges were detected during this year's screening. The screening process did however allow the screener to observe a large portion of the City's conveyance system and note where maintenance issues should be addressed. Notes were gathered and provided to the City's Public Works Department for making improvements. The screenings also allow the City to create a maintenance baseline for some of the private storm water facilities that will be part of the maintenance program being implemented.

Construction Site Pollutant Control

- The City's consultant provides construction site pollutant control inspection and assists the City in administering the ordinance. The requirements for permitting are spelled out in the ordinance and all permitted projects are subjected to a minimum of one inspection per month while the permit is active. The City's ordinance does allow flexibility to suspend inspections over the winter months when frozen ground conditions and snow cover provide consistent site stability. The City does inspect sites if a significant rain event occurs during winter months or if significant snow melting is experienced.

Post-Construction Storm Water Management

- Long-term maintenance procedures are still being developed and no formal inspections were conducted in 2013 except for the checks that were done during the dry weather screening process. Many of the outfalls checked are part of the storm water management facilities within the City; the City is considering how best to integrate these screenings and storm water management facility inspections. The City intends to move forward with implementation of and has instructed their consultant to create a procedure and collect information on all the facilities within the City that are to be included. More details regarding this program are included below with the storm water quality section of the report.

Pollution Prevention

A routine inspection and maintenance program has been established as part of the permit requirements, summarized as follows:

- One storm ceptor (on Weber Ct.) and four catch basins (three on Third St., one on Scenic Heights Dr.) were cleaned on 10/23/2013 at a cost of \$900.00 to the City.
- The City routinely inspects the Milwaukee Street Basin on the 1st of each month. This inspection includes removal of accumulated debris and litter, primarily in the rip-rap areas where the inflow from the I-94/Hwy 83 corridor are conveyed to the basin. The City is considering improving the upstream swale leading to the basin. The swale is eroding and bank stabilization is needed. The City also mowed the Storm Water Pond areas once a month from June through October.
- A rip-rap area on Vettleson Rd., which drains to a kettle area of Lake Nagawicka, is also routinely inspected on the 1st of each month and more often when heavy rains are forecast.
- The City performs monthly inspections of the Weber Ct. storm water drainage project that was installed in July of 2013. The inspections include removal of debris from the debris catcher and larger sticks and branches from the rip rap areas prior to the storm ceptor.
- The City's GIS system continues to improve and it is expected to be a very valuable tool for providing maintenance tracking.
- Routine street sweeping was done in the spring of 2013. A total of 56.15 tons of material were swept and disposed of properly at a cost of \$5,100.00 to the City.

The City contracts with Sweep-All for street sweeping and Veolia for disposal of all street sweeping waste.

- The City collects data regarding its purchase and use of salt and sand for maintaining safe roads during the winter. It also tracks all miles driven while putting down sand and salt. The City uses as little material as necessary to provide proper public safety. In general, the City uses trucks with 100% salt on primarily urban routes and uses a 50% mixture of sand and salt on primarily rural

routes. For 2013, 1001 tons of salt and 289 tons of sand were used on the City's streets. A total of 6,615 miles were plowed and salted using a 100% salt solution. 8,718 miles were plowed and salted using a 1-to-1 sand/salt mix.

- The City does not provide direct leaf or grass clipping removal. However they have given their residents the option to have Veolia pick-up their yard waste for a pre-determined cost or to bag their own leaves (with paper leaf disposal bags available at various retailers) and drop them off at Veolia's facility in Hartland.
- The City utilizes sedimentation control in its storage areas, most notably silt fencing around the perimeter of the area used to store material. For piles of material that can sustain vegetative growth, they are typically seeded which provides additional erosion control.
- The garage itself contains pollution control measures. The garage slopes to a drain that is internally stored underground and is pumped out and disposed of by "Safety Kleen". The garage also has a spill kit that all staff are trained to use in case of accidental spills.
- The City Public Works Department has developed a program for their facility that meets the 2010 landfill ban of oil filters and oil absorbent materials. The City has a 55-gallon drum that is used for collecting used oil filters and another 55-gallon drum for oil absorbent materials. Once the drums are full, they are disposed of properly by the contracted firm of O.S.I. Environmental.
- The City monitors the secondary containment structures of their fuel and oil recycling tanks. This ensures proper storage of materials in the event of a tank failure or overflow.
- The City is currently evaluating their yard and considering updates. They also are aware of DNR municipal yard inspections and are awaiting that evaluation prior to implementation of improvements.
- Several of the City's roads are included in the "Adopt-a-Road" program. The City works with various firms and individuals signed-up for the program and schedules bi-annual trash pick-ups. The City collects the garbage bags filled with the road side garbage collected.
- The City applies a broadleaf weed killer to some City properties at an appropriate time once a year. This is done to minimize maintenance of City properties by limiting the growth of weeds.
- The City does not allow the use or sale of fertilizers that contain phosphorus within the City except as allowed for new lawns. A link on their website reminds their residence of this.

- Education of the municipal personnel falls primarily on both the Director of Public Works and their engineering consultant, Yaggy Colby Associates. As noted previously, materials provided by the County were utilized last year to perform a training session.

b. Storm Water Quality Management

- The 20% reduction in the annual average mass of total suspended solids discharging from the MS4 to surface waters of the state has been previously met. The City is making preparations and planning for upcoming implementation of the Rock River TMDL. The City has two reaches that are affected by the TMDL and understands that additional modeling and plan preparation will be required for proper reductions of TSS and phosphorus for these reaches.
- The City and their consultant continue to research their files to find which existing basins currently have long-term maintenance agreements (LTMA). This will be used to determine which facilities can be included in the City-wide maintenance inspection program and also create a list of those that agreements can be obtained for future inclusion. It is the City's policy to obtain LTMA's for all new projects and also has made it policy to obtain maintenance agreements for facilities that do not have one (or one that is not up to current standards), by making it a condition of approval for permitting. It is the City's goal to have agreements for all facilities and that they are all routinely inspected and maintained.
- The City is creating a procedure for ensuring that all existing, and future, basins are properly inspected at least once each year. The City will require each basin owner (an association in some cases) to inspect and report their findings to the City each spring. For basins that a report is not received, the City will have the right to conduct an inspection, and intends to do so, with the costs associated with the inspection and required maintenance passed onto the Owner. This program has proven difficult to get implemented but the City is committed to it and has a goal of having it implemented, at least preliminarily, by the end of 2013.

c. Best Management Practices Maintenance

- The City currently owns and maintains two (2) stormceptor structures. The structures are inspected every 6 months and the level of accumulated sediment is monitored. As noted above, the City chose to have the stormceptor on Weber Ct. cleaned this past year, on 10/23/13.
- The City owns and maintains the Milwaukee Street Basin. As outlined previously, the City inspects the basin on a monthly basis. Sediment accumulation is being tracked and maintenance will be scheduled when appropriate. This area was also mowed once a month from June through October.

d. Storm Sewer System Map

- The map was submitted to the DNR, as required by the permit. It should also be noted that a new map has been created to specifically for dry weather screening that aids the City in screening illicit discharges and identifies the various outfalls within the City's urbanized area.

Section VII. Inspections and Enforcement Actions

- e. *Provide a summary of available information on the number and nature of inspections and enforcement actions conducted during the reporting period to ensure compliance with the ordinances described in a. to d. above.*

2013 City of Delafield Erosion Control Permit and Inspection Summary

11 sites were inspected during 2013
 22 inspections were made to the various sites
 6 project erosion control permits were closed throughout the year
 5 project erosion control permits were still open at the end of the year
 2 sites have open permits with no activity

Projects with erosion control permits in the City of Delafield during 2013 – status at end of 2013 (order is generally from oldest to newest project)

1. Sanctuary of Delafield – OPEN but not actively being inspected;
 - a. This site is generally stabilized but temporary measures have not been removed that prevents permit to be closed. Monthly visits have been terminated since current site poses little sedimentation deposition threat and the circumstances involved with the project;
2. Hartland Sportsmans Club – OPEN but not actively inspected;
 - a. Due to legal issues all activity on this site was stopped and no activity took place during 2013. The site was left generally stabilized at the time of termination but the permit has been left open;
3. Roller Mill dam – OPEN;
 - a. Permit was opened on 8/25/2013. DNR is providing inspection;
4. University Lake School – OPEN but inactive;
 - a. Site is generally stabilized but some storm water management facility construction is planned and the permit was left open until basin modifications begin;
5. Oakwood Church Ball Fields – closed 08/01/2013;
6. 3401 Seminary Ridge Ln. – closed 08/05/2013;

7. Main Street Commons apartments – opened 10/01/2013;
8. Delafield Woods – opened 07/18/2012;
 - a. Site inspections have occurred regularly throughout the fall. This site has required extra inspections due to some severe weather and BMP inadequacies. The site construction began with a project manager that was not very responsive but a new one was brought in and has now been more responsive to the erosion control requirements, as well as the repairs and improvements that were needed. The site needs further monitoring, as construction runoff continues to an issue. Due to the timing of the project, the site was not very well stabilized going into the winter and more work will be needed once weather conditions allow further work to be done in the spring. This site will be closely monitored until it is stabilized and vegetation is established. No formal enforcement was taken however extra inspections have occurred and the site has been penalized by the DNR;
9. Arcon Ring – closed 11/04/2013;
10. 1918 West Shore Dr. – closed 06/04/2013;
11. Nagawaukee Park restrooms – opened 9/12/2012;
 - a. This project is a cooperative effort with the County. Inspections for the project were provided by the County, as agreed upon. The County will provide the City with documentation upon request and the City will work with the County to close the permit upon establishing vegetation over the construction area.
12. Delafield Dredging – opened 09/11/2013
13. Sanctuary – Lot 11 – opened 10/04/2013

Enforcement

No formal enforcement was necessary for any sites in the City of Delafield for 2013.